CARBOHYDRATE RESEARCH

An International Journal

VOLUME 204 (1990)

EDITORS

L. Anderson (Madison, WI)
D. C. Baker (Knoxville, TN)
A. B. Foster (London, U.K.)
D. Horton (Columbus, OH)
R. W. Jeanloz (Charlestown, MA)

J. M. WEBBER (Birmingham, U.K.)

EDITORIAL BOARD

P. ALBERSHEIM (Athens, GA) S. J. ANGYAL (Sydney) G. O. ASPINALL (Toronto, Ont.) H. H. BAER (Ottawa, Ont.) J. N. BEMILLER (West Lafavette, IN) K. Bock (Copenhagen) D. A. BRANT (Irvine, CA) J. S. BRIMACOMBE (Dundee) J. G. BUCHANAN (Edinburgh) D. R. BUNDLE (Ottawa, Ont.) S. DANISHEFSKY (New Haven, CT) J. DEFAYE (Grenoble) A. DELL (London) G. G. S. DUTTON (Vancouver, B.C.) H. S. El KHADEM (Washington, DC) R. J. FERRIER (Wellington) P. J. GAREGG (Stockholm)

G. A. Jeffrey (Pittsburgh, PA)
C. Jones (Potters Bar)
A. KOBATA (Tokyo)

J. GELAS (Clermont-Ferrand)

K. B. HICKS (Philadelphia, PA)

R. H. GIGG (London)

Y. ISHIDO (Tokyo)

A. H. HAINES (Norwich)

N. K. KOCHETKOV (Moscow)

J. LEHMANN (Freiburg)
B. LINDBERG (Stockholm)

R. H. MARCHESSAULT (Montréal, Québec)

T. OGAWA (Saitama)
T. OSAWA (Tokyo)
H. PAULSEN (Hamburg)

A. S. PERLIN (Montréal, Québec)
A. C. RICHARDSON (London)

J. F. ROBYT (Ames, IA)
R. SCHAUER (Kiel)

R. R. SCHMIDT (Konstanz)
A. S. SERIANNI (Notre Dame, IN)

N. SHARON (Rehovot)
P. SINAŸ (Paris)

R. J. STURGEON (Edinburgh)
W. A. SZAREK (Kingston, Ont.)

R. S. TIPSON (Kensington, MD) T. TSUCHIYA (Kawasaki)

S. UMEZAWA (Yokohama) A. VASELLA (Zurich)

J. F. G. VLIEGENTHART (Utrecht)
C. D. WARREN (Boston, MA)

C. D. WARREN (Boston, MA)

R. L. WHISTLER (West Lafayette, IN)

S. G. WILKINSON (Hull)

J. YOSHIMURA (Iwaki) A. ZAMOJSKI (Warsaw)



All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher. Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam. The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication entails the author(s) irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and in the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. — This journal has been registered with the Copyright Clearance Center. Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center. Inc., 27 Congress Street, Salem, MA 01970. If no code appears in an article, the author has not given broad consent to copy, and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US \$2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, of for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This issue is printed on acid-free paper.

Printed in The Netherlands

CONTENTS

G.I.c.—m.s. of partially methylated and acetylated derivatives of L-glycero-D-manno- and D-glycero-D-manno-heptopyranoses and -heptitols O. Holst, H. Brade (Borstel, F.R.G.), K. Dziewiszek, and A. Samojski (Warsaw, Poland) 1 Determination of the gauche effect of 3-acetamido- and 3-acetoxy-piperidine and -tetrahydropyran by 'H-n.m.r. spectroscopy B. Bernet, U. Piantini, and A. Vasella (Zurich, Switzerland) 11 RAMM – a new procedure for theoretical conformational analysis of carbohydrates T. Kožár, F. Petrák, Z. Gálová (Košice, Czechoslovakia), and I. Tvaroška (Bratislava, Czechoslovakia) 27 Conversion of xylan, starch, and chitin into carboxylic acids by treatment with alkali K. Niemelä (Espoo, Finland) 37 Synthesis of Dt-2-amino-2-deoxyvalidamine and its three diastereoisomers S. Ogawa and T. Tonegawa (Yokohama, Japan) 57 Application of the hydrogenphosphonate approach in the synthesis of glycosyl phosphosugars linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.) 65 Enzymic synthesis of HexNAc-containing disaccharide glycosides K.G.I. Nilsson (Arlov, Sweden) 79 Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) 85 Isolation and characterisation of 3-deoxy-D-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) 93 Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) 103 104 D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 105 The effect of bismuth on the selecti	$EUROCARB\ V, the\ Vth\ European\ Carbohydrate\ Symposium;\ Prague,\ Czechoslovakia,\ August\ 21-25,$	1989
Determination of the gauche effect of 3-acetamido- and 3-acetoxy-piperidine and -tetrahydropyran by 'H-n.m.r. spectroscopy B. Bernet, U. Piantini, and A. Vasella (Zurich, Switzerland)	D-manno-heptopyranoses and -heptitols	
by H-n.m.r. spectroscopy B. Bernet, U. Piantini, and A. Vasella (Zurich, Switzerland) RAMM – a new procedure for theoretical conformational analysis of carbohydrates T. Kožár, F. Petrák, Z. Gálová (Košice, Czechoslovakia), and I. Tvaroška (Bratislava, Czechoslovakia) Conversion of xylan, starch, and chitin into carboxylic acids by treatment with alkali K. Niemelä (Espoo, Finland) Synthesis of Dt-2-amino-2-deoxyvalidamine and its three diastereoisomers S. Ogawa and T. Tonegawa (Yokohama, Japan) 57 Application of the hydrogenphosphonate approach in the synthesis of glycosyl phosphosugars linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.) 65 Enzymic synthesis of HexNAc-containing disaccharide glycosides K.G.I. Nilsoan (Arlov, Sweden) 79 Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) 85 Isolation and characterisation of 3-deoxy-D-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 103 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anti-coagulant activities	O. Holst, H. Brade (Borstel, F.R.G.), K. Dziewiszek, and A. Samojski (Warsaw, Poland)	1
RAMM – a new procedure for theoretical conformational analysis of carbohydrates T. Kožár, F. Petrák, Z. Gálová (Košice, Czechoslovakia), and I. Tvaroška (Bratislava, Czechoslovakia) Conversion of xylan, starch, and chitin into carboxylic acids by treatment with alkali K. Niemelä (Espoo, Finland) Synthesis of Dt2-amino-2-deoxyvalidamine and its three diastereoisomers S. Ogawa and T. Tonegawa (Yokohama, Japan) 57 Application of the hydrogenphosphonate approach in the synthesis of glycosyl phosphosugars linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.) 65 Enzymic synthesis of HexNAc-containing disaccharide glycosides K.G.I. Nilsson (Arlov, Sweden) 57 Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) 18 Isolation and characterisation of 3-deoxy-D-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 103 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities		
T. Kožár, F. Petrák, Z. Gálová (Košice, Czechoslovakia), and I. Tvaroška (Bratislava, Czechoslovakia)	B. Bernet, U. Piantini, and A. Vasella (Zurich, Switzerland)	11
K. Niemelä (Espoo, Finland)	T. Kožár, F. Petrák, Z. Gálová (Košice, Czechoslovakia), and I. Tvaroška (Bratislava,	27
Synthesis of Dt-2-amino-2-deoxyvalidamine and its three diastereoisomers S. Ogawa and T. Tonegawa (Yokohama, Japan) Application of the hydrogenphosphonate approach in the synthesis of glycosyl phosphosugars linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.) Enzymic synthesis of HexNAc-containing disaccharide glycosides K.G.I. Nilsson (Arlov, Sweden) 79 Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) 85 Isolation and characterisation of 3-deoxy-D-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 103 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anti-coagulant activities	Conversion of xylan, starch, and chitin into carboxylic acids by treatment with alkali	
S. Ogawa and T. Tonegawa (Yokohama, Japan) 57 Application of the hydrogenphosphonate approach in the synthesis of glycosyl phosphosugars linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.) 65 Enzymic synthesis of HexNAc-containing disaccharide glycosides K.G.I. Nilsson (Arlov, Sweden) 79 Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) 85 Isolation and characterisation of 3-deoxy-p-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) 93 Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) 103 D-Galactose-derived p-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities	K. Niemelä (Espoo, Finland)	37
S. Ogawa and T. Tonegawa (Yokohama, Japan) 57 Application of the hydrogenphosphonate approach in the synthesis of glycosyl phosphosugars linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.) 65 Enzymic synthesis of HexNAc-containing disaccharide glycosides K.G.I. Nilsson (Arlov, Sweden) 79 Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) 85 Isolation and characterisation of 3-deoxy-p-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) 93 Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) 103 D-Galactose-derived p-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities	Synthesis of DL-2-amino-2-deoxyvalidamine and its three diastereoisomers	
linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.)		57
linked through secondary hydroxyl groups A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.)		
A.V. Nikolaev, I.A. Ivanova, V.N. Shibaev, and N.K. Kochetkov (Moscow, U.S.S.R.)		
Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) S5 Isolation and characterisation of 3-deoxy-p-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived p-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities		65
Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain) S5 Isolation and characterisation of 3-deoxy-p-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived p-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities		
Structural studies of acidic polymers produced by the 023 reference strain of Serratia marcescens: presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain)		79
presence of amide-linked glutamic acid D. Oxley and S.G. Wilkinson (Hull, Gt. Britain)	R.O.I. Pilisson (Allov, Sweden)	"
D. Oxley and S.G. Wilkinson (Hull, Gt. Britain)		
Isolation and characterisation of 3-deoxy-D-manno-2-octulopyranosonate 7-(2-aminoethyl phosphate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities		95
phate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota lipopolysaccharides O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) . 93 Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) . 103 D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) . 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities	D. Oxey and S.G. Wilkinson (Fruit, Gr. Britain)	03
O. Holst, E. Röhrscheidt-Andrzejewski, H. Brade (Borstel, F.R.G.), and D. Charon (Chatenay-Malabry, France) 93 Structure of the extracellular polysaccharide secreted by <i>Rhizobium leguminosarum</i> var. <i>phaseoli</i> CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) 103 D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) 109 The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities	phate) from the inner core region of Escherichia coli K-12 and Salmonella minnesota	
Structure of the extracellular polysaccharide secreted by Rhizobium leguminosarum var. phaseoli CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities		
CIAT 899 A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain) D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.) The effect of bismuth on the selective oxidation of lactose on supported palladium, catalysts H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anticoagulant activities	(Chatenay-Malabry, France)	93
A. Gil-Serrano, A. Sanchez del Junco, P. Tejero-Mateo, M. Megias, and M.A. Caviedes (Seville, Spain)		
D-Galactose-derived D-galacturonic acid derivatives suitable as glycosyl acceptors W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.)		
W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.)	(Seville, Spain)	103
W. Steffan, C. Vogel, and H. Kristen (Rostock, G.D.R.)	p-Galactose-derived p-galacturonic acid derivatives suitable as glycosyl acceptors	
 H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anti-coagulant activities 		109
 H.E.J. Hendriks, B.F.M. Kuster, and G.B. Marin (Eindhoven, The Netherlands) 121 Heparin, carboxyl-reduced sulfated heparin, and trestatin A sulfate antiproliferative and anti-coagulant activities 	The effect of hismuth on the selective oxidation of lactose on supported palladium, catalysts	
coagulant activities		121
H.P. Wessel, M. Hosang, I.B. Ischopp, and BJ. Welmann (Basel, Switzerland) 131	H.P. Wessel, M. Hosang, T.B. Tschopp, and BJ. Weimann (Basel, Switzerland)	131

Notes	
Spacer-modified oligosaccharides as potential affinity reagents for glycosyltransferases: the preparation and enzymic galactosylation of 1,10-bis(2-acetamido-2-deoxy-D-glucopyranosyloxy)decane	
J. Lehmann and S. Petry (Freiburg, F.R.G)	141
Some protected O-amino sugars and their derivatives	
J.M.J. Tronchet, G. Zosimo-Landolfo, G. Galland-Barrera, and N. Dolatshahi (Geneva, Switzerland)	145
Phosphorus-containing glycopolymers of Clavibacter michiganense cell walls	
L.D. Varbanets (Kiev, U.S.S.R.), A.S. Shashkov, and N.A. Kocharova (Moscow, U.S.S.R.)	157
Structural aspects of phase separation in the furcellaran-water system N.M. Ptitchkina (Saratov, U.S.S.R.) and A.Ye. Chalykh (Moscow, U.S.S.R.)	161
(end of symposium papers)	
Synthesis of specifically deoxygenated ligands related to $(1\rightarrow 6)$ - β -D-galacto-oligosaccharides, and studies on their binding to monoclonal antigalactan antibodies	
T. Ziegler, V. Pavliak, TH. Lin, P. Kováč, and C.P.J. Glaudemans (Bethesda, MD, U.S.A.)	167
Binding of isomaltose and maltose to the glucoamylase from Aspergillus niger, as studied by fluorescence spectrophotometry and steady-state kinetics	
M. Ohnishi, T. Matsumoto, T. Yamanaka, and K. Hiromi (Kyoto, Japan)	187
Oxidation of some aldopentoses by chloramine-B in alkaline medium: a kinetic and mechanistic study	
T.A. Iyengar, Puttaswamy, and D.S. Mahadevappa (Mysore, India)	197
In vitro action of human and porcine α-amylases on cyclomalto-oligosaccharides H. Kondo, H. Nakatani, and K. Hiromi (Kyoto, Japan)	207
Notes	
Formation of 1-amino-1,4-dideoxy-2,3-hexodiuloses and 2-aminoacetylfurans in the Maillard reaction	
B. Huber (Munich, F.R.G.) and F. Ledl (Stuttgart, F.R.G.)	215
Synthesis and characterisation of methyl 2- O -(β -D-glucopyranosyl)-6- O -(α -L-rhamnopyranosyl)- α -D-glucopyranoside	
C.F. Hansmann (Stellenbosch, South Africa)	221
Structural investigation of the capsular polysaccharide from Lactobacillus kefiranofaciens K ₁ T. Mukai, T. Toba, T. Itoh, and S. Adachi (Sendai, Japan)	227
Epimerization and isomerization of various monosaccharides using metal-diamine systems T. Yamauchi, K. Fukushima, R. Yanagihara, S. Osanai, and S. Yoshikawa (Yokohama,	
Japan)	233
Erratum	cl
Author index	c3
Subject index	c5

